

**=> IFW:      Scan as Doc Code: SRNT    <=  
                 Doc Date:**

## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

---

**Serial Number:** 10/773,391

**1.) See attached printout of inventors listed in  
PALM**

**2.) See attached EAST Inventor Search  
Printout shows Inventor search terms**

Day : Thursday

Date: 5/4/2006  
Time: 14:30:24 **PALM INTRANET**

## Inventor Information for 10/773391

| Inventor Name     | City         | State/Country |
|-------------------|--------------|---------------|
| NORTON, JOHN D.   | NEW BRIGHTON | MINNESOTA     |
| SCHMIDT, CRAIG L. | EAGAN        | MINNESOTA     |

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)

Search Another: Application#

 

or Patent#

 

PCT /

/

or PG PUBS #

Attorney Docket #

Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

|                   |          |          |   |            |   |                           |
|-------------------|----------|----------|---|------------|---|---------------------------|
| US 20060095094 A1 | US-PGPUB | 20060504 | Medical device having lithium-ion battery | 607/61     |   | Howard; William G. et al. |
| US 20060093923 A1 | US-PGPUB | 20060504 | Medical device having lithium-ion battery | 429/322    | 606/41;<br>607/116;<br>607/137;<br>607/9  | Howard; William G. et al. |
| US 20060093921 A1 | US-PGPUB | 20060504 | Lithium-ion battery                       | 429/245    | 429/223;<br>429/224;<br>429/231.1;<br>429/231.5;<br>429/232                                   | Scott; Erik R. et al.     |
| US 20060093918 A1 | US-PGPUB | 20060504 | Lithium-ion battery                       | 429/231.95 | 429/223;<br>429/224;<br>429/231.1;<br>429/231.3;<br>429/231.5;<br>429/245;<br>429/9           | Howard; William G. et al. |
| US 20060093917 A1 | US-PGPUB | 20060504 | Medical device having lithium-ion battery | 429/231.95 | 429/223;<br>429/224;<br>429/231.2;<br>429/231.3;<br>429/231.5;<br>429/245;<br>607/2;<br>607/5 | Howard; William G. et al. |
| US 20060093916 A1 | US-PGPUB | 20060504 | Lithium-ion battery                       | 429/231.95 | 429/224;<br>429/231.2;<br>429/231.3;<br>429/231.5;<br>429/245                                 | Howard; William G. et al. |
| US 20060093913 A1 | US-PGPUB | 20060504 | Medical device having lithium-ion battery | 429/231.1  | 429/223;<br>429/224;<br>429/231.3;<br>429/231.5;<br>607/2                                     | Howard; William G. et al. |
| US 20060093894 A1 | US-PGPUB | 20060504 | Method for charging lithium-ion battery   | 429/50     | 320/162;<br>429/223;<br>429/224;<br>429/231.1;<br>429/231.3;<br>429/231.5;<br>607/2           | Scott; Erik R. et al.     |
| US 20060093873 A1 | US-PGPUB | 20060504 | Lithium-ion battery                       | 429/9      | 429/223;<br>429/224;  | Howard; William G.        |

|                   |              |          |  |           |   |                                    |
|-------------------|--------------|----------|--|-----------|---|------------------------------------|
|                   |              |          |  |           | 429/231.1;<br>429/231.3;<br>429/231.5;<br>429/245                                     | et al.                             |
| US 20060093872 A1 | US-<br>PGPUB | 20060504 | Medical device having lithium-ion battery  | 429/9     | 429/223;<br>429/224;<br>429/231.1;<br>429/231.2;<br>429/231.5;<br>429/7;<br>607/2     | Howard;<br>William G.<br>et al.    |
| US 20060093871 A1 | US-<br>PGPUB | 20060504 | Lithium-ion battery  | 429/9     | 429/223;<br>429/224;<br>429/231.1;<br>429/231.2;<br>429/231.3;<br>429/231.5;<br>429/7 | Howard;<br>William G.<br>et al.    |
| US 20060028786 A1 | US-<br>PGPUB | 20060209 | Capacitors including interacting separators and surfactants                              | 361/517   |   | Norton;<br>John D. et al.          |
| US 20050256548 A1 | US-<br>PGPUB | 20051117 | System and method for monitoring power source longevity of an implantable medical device | 607/29    |   | Rogers,<br>Charles R.<br>et al.    |
| US 20050177198 A1 | US-<br>PGPUB | 20050811 | Apparatus and method for exercising a battery for an implantable medical device          | 607/29    | 607/27  | Norton,<br>John D. et al.          |
| US 20050177193 A1 | US-<br>PGPUB | 20050811 | Capacitors for medical devices   | 607/5     |   | Nielsen,<br>Christian S.<br>et al. |
| US 20050117277 A1 | US-<br>PGPUB | 20050602 | Methods of applying separator members to an electrode of a capacitor                     | 361/512   |   | Norton,<br>John D. et al.          |
| US 20050115525 A1 | US-<br>PGPUB | 20050602 | Electromechanical valve actuator assembly  | 123/90.11 |   | Chung, Ha T. et al.                |

|                   |          |          |   |           |                                 |                              |
|-------------------|----------|----------|---|-----------|---------------------------------|------------------------------|
| US 20050081807 A1 | US-PGPUB | 20050421 | Electromechanical valve actuator assembly   | 123/90.11 |                                 | Hopper, Mark L. et al.       |
| US 20050076866 A1 | US-PGPUB | 20050414 | Electromechanical valve actuator  | 123/90.11 |                                 | Hopper, Mark L. et al.       |
| US 20050058894 A1 | US-PGPUB | 20050317 | Lithium-limited anode subassembly with solid anode current collector and spacer         | 429/128   | 429/131;<br>429/133             | Aamodt, Paul B. et al.       |
| US 20050058888 A1 | US-PGPUB | 20050317 | Lithium-limited anode subassembly   | 429/94    | 429/129;<br>429/233;<br>429/245 | Aamodt, Paul B. et al.       |
| US 20050004618 A1 | US-PGPUB | 20050106 | Implantable medical device with a nonhermetic battery                                   | 607/45    | 607/116;<br>607/36              | Scott, Erik R. et al.        |
| US 20050003268 A1 | US-PGPUB | 20050106 | Battery housing configuration   | 429/176   | 429/181;<br>429/7;<br>607/116   | Scott, Erik R. et al.        |
| US 20050002147 A1 | US-PGPUB | 20050106 | Electrolytic capacitor for use in an implantable medical device                         | 361/302   |                                 | Nielsen, Christian S. et al. |
| US 20050001702 A1 | US-PGPUB | 20050106 | Electromechanical valve actuator  | 335/220   |                                 | Norton, John D. et al.       |
| US 20040246657 A1 | US-PGPUB | 20041209 | Capacitors including track-etched separator materials                                   | 361/503   | 29/25.03                        | Norton, John D.              |
| US 20040243183 A1 | US-PGPUB | 20041202 | Wet tantalum capacitor usable without reformation and medical devices for use therewith | 607/5     |                                 | Norton, John D. et al.       |
| US 20040240156 A1 | US-PGPUB | 20041202 | Capacitors including interacting separators and surfactants                             | 361/512   |                                 | Norton, John D. et al.       |
| US 20040240153 A1 | US-      | 20041202 | DUAL-ANODE  | 361/508   |                                 | Nielsen,                     |

|                   |          |          |   |           |                                 |                                |
|-------------------|----------|----------|---|-----------|---------------------------------|--------------------------------|
|                   | PGPUB    |          | ELECTROLYTIC CAPACITOR FOR USE IN AN IMPLANTABLE MEDICAL DEVICE   |           |                                 | Christian S. et al.            |
| US 20040225327 A1 | US-PGPUB | 20041111 | Wet tantalum reformation method and apparatus   | 607/5     |                                 | Norton, John D. et al.         |
| US 20040220627 A1 | US-PGPUB | 20041104 | Complex-shaped ceramic capacitors for implantable cardioverter defibrillators and method of manufacture | 607/5     | 607/36                          | Crespi, Ann M. et al.          |
| US 20040193227 A1 | US-PGPUB | 20040930 | High power implantable battery with improved safety and method of manufacture                           | 607/34    |                                 | Schmidt, Craig L.              |
| US 20040186519 A1 | US-PGPUB | 20040923 | Methods and apparatus for reforming high-voltage electrolytic capacitors                                | 607/5     |                                 | Norton, John D.                |
| US 20040161671 A1 | US-PGPUB | 20040819 | Liquid electrolyte for an electrochemical cell  | 429/326   | 429/328;<br>429/329;<br>429/330 | Merritt, Donald R. et al.      |
| US 20040149944 A1 | US-PGPUB | 20040805 | Electromechanical valve actuator  | 251/54    | 251/129.1;<br>251/129.16        | Hopper, Mark L. et al.         |
| US 20040134874 A1 | US-PGPUB | 20040715 | Advanced valve metal anodes with complex interior and surface features and methods for processing same  | 216/13    |                                 | Hossick-Schott, Joachim et al. |
| US 20040079306 A1 | US-PGPUB | 20040429 | Variable lift electromechanical   | 123/90.11 |                                 | Norton, John D. et             |

|                   |          |          |   |  |         |   |                                |
|-------------------|----------|----------|---|--|---------|---|--------------------------------|
|                   |          |          | valve actuator  |  |         |   | al.                            |
| US 20040068302 A1 | US-PGPUB | 20040408 | Complex connector in component footprint of implantable medical device              |  | 607/36  |   | Rodgers, Angela et al.         |
| US 20040064157 A1 | US-PGPUB | 20040401 | Method and apparatus for maintaining energy storage in an electrical storage device |  | 607/7   |   | Norton, John D.                |
| US 20040064155 A1 | US-PGPUB | 20040401 | Capacitor in an implantable medical device  |  | 607/5   |   | Norton, John D. et al.         |
| US 20040064154 A1 | US-PGPUB | 20040401 | Apparatus and method for optimizing capacitor charge in a medical device            |  | 607/5   | 607/14;<br>607/4;<br>607/7  | Norton, John D. et al.         |
| US 20030204216 A1 | US-PGPUB | 20031030 | Electrically insulated component sub-assemblies of implantable medical devices      |  | 607/36  |   | Ries, Andrew J. et al.         |
| US 20020183801 A1 | US-PGPUB | 20021205 | Implantable medical device with dual cell power source                              |  | 607/34  |   | Howard, William G. et al.      |
| US 20020183800 A1 | US-PGPUB | 20021205 | Implantable medical device with a dual power source                                 |  | 607/32  |   | Schmidt, Craig L. et al.       |
| US 7002790 B2     | USPAT    | 20060221 | Capacitor in an implantable medical device  |  | 361/516 | 29/25.03;<br>361/504;<br>361/525;<br>361/532;<br>607/36;<br>607/5 | Hossick-Schott, Joachim et al. |
| US 6995971 B2     | USPAT    | 20060207 | Capacitors including interacting separators and                                     |  | 361/523 | 29/25.03;<br>361/502;<br>361/508;<br>361/516;                     | Norton, John D. et al.         |

|               |       |          |  |         |  |                                    |
|---------------|-------|----------|--|---------|--|------------------------------------|
|               |       |          | surfactants  |         | 361/525;<br>361/528  |                                    |
| US 6985352 B2 | USPAT | 20060110 | Capacitors including track-etched separator materials                                    | 361/523 | 29/25.03;<br>361/502;<br>361/503;<br>361/520;<br>361/524;<br>361/525;<br>361/528 | Norton;<br>John D.                 |
| US 6901293 B2 | USPAT | 20050531 | System and method for monitoring power source longevity of an implantable medical device | 607/29  |  | Rogers;<br>Charles R.<br>et al.    |
| US 6819544 B1 | USPAT | 20041116 | Dual-anode electrolytic capacitor for use in an implantable medical device               | 361/508 | 361/517;<br>607/5  | Nielsen;<br>Christian S.<br>et al. |
| US 6807048 B1 | USPAT | 20041019 | Electrolytic capacitor for use in an implantable medical device                          | 361/520 | 361/508;<br>361/538  | Nielsen;<br>Christian S.<br>et al. |
| US 6801424 B1 | USPAT | 20041005 | Electrolytic capacitor for use in an implantable medical device                          | 361/517 | 361/535;<br>607/5  | Nielsen;<br>Christian S.<br>et al. |
| US 6799072 B2 | USPAT | 20040928 | Electrically insulated component sub-assemblies of implantable medical devices           | 607/36  |  | Ries;<br>Andrew J.<br>et al.       |
| US 6650942 B2 | USPAT | 20031118 | Implantable medical device with dual cell power source                                   | 607/34  | 607/36   | Howard;<br>William G.<br>et al.    |
| US 6445948 B1 | USPAT | 20020903 | Implantable medical device having a substantially flat battery                           | 607/2   | 607/36;<br>607/5   | Somdahl;<br>Sonja K. et<br>al.     |
| US 6274265 B1 | USPAT | 20010814 | Method and system for evaluating an  | 429/90  | 429/48;<br>429/91  | Kraska;<br>Robert E. et<br>al.     |



|              |       |          |   |          |  |                                    |  |
|--------------|-------|----------|---|----------|--|------------------------------------|--|
|              |       |          | electrochemical cell for use with an implantable medical device               |          |  |                                    |  |
| US 6132896 A | USPAT | 20001017 | Electrochemical cell with circumferential cathode current collector           | 429/66   | 429/162;<br>429/164;<br>429/219;<br>429/233;<br>429/239;<br>429/307              | Sunderland;<br>Walter C.<br>et al. |  |
| US 5716729 A | USPAT | 19980210 | Electrochemical cell  | 429/66   | 29/623.1;<br>429/162;<br>429/164;<br>429/181;<br>429/211;<br>429/233;<br>429/241 | Sunderland;<br>Walter C.<br>et al. |  |
| US 5549985 A | USPAT | 19960827 | Method of assembling electrochemical cells of novel construction              | 429/157  | 429/163;<br>429/164;<br>429/180;<br>429/181                                      | Heller;<br>Bernard F.<br>et al.    |  |
| US 5500026 A | USPAT | 19960319 | Method of assembling electrochemical cells of novel construction              | 29/623.1 | 29/623.2;<br>429/133;<br>429/157;<br>429/164;<br>429/170;<br>429/199             | Heller;<br>Bernard F.<br>et al.    |  |
| US 5455123 A | USPAT | 19951003 | Method for making an electrochemical cell                                     | 429/52   | 429/199  | Helgeson;<br>William D.<br>et al.  |  |
| US 5402070 A | USPAT | 19950328 | Fault-tolerant elective replacement indication for implantable medical device | 324/433  | 607/29   | Shelton;<br>Michael B.<br>et al.   |  |
| US 5370668 A | USPAT | 19941206 | Fault-tolerant elective replacement indication for implantable medical device | 607/29   | 324/430;<br>607/34   | Shelton;<br>Michael B.<br>et al.   |  |
| US 5369364 A | USPAT | 19941129 | Battery state of charge   | 324/430  | 324/436;<br>340/636.11;  | Renirie;<br>Wim C. M.              |  |

|  |  |  |   |  |  |            |        |
|--|--|--|---|--|--|------------|--------|
|  |  |  | determination<br>with plural<br>periodic<br>measurements to<br>determine its<br>internal<br>impedance and<br>geometric<br>capacitance |  |  | 340/636.15 | et al. |
|--|--|--|---|--|--|------------|--------|